

LAMP INFORMATION	
Bulb type / base	Halogen / GU10
Wattage (power consumption)	50w
Energy rating (class)	D
Lumens (light output)	300 lm
Lifetime (hours)	2000 hrs
Kelvin (colour temperature)	2800 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	50000
Warm up time (to 60% brightness)	0.0 sec.
Dimmable	Yes
Bulb dimensions (height x width)	51 x 55 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

50 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Halogen / GU10
Wattage (power consumption)	35w
Energy rating (class)	D
Lumens (light output)	230 lm
Lifetime (hours)	2000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	50000
Warm up time (to 60% brightness)	0.0 sec.
Dimmable	Yes
Bulb dimensions (height x width)	51 x 55 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

35 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / GU10
Wattage (power consumption)	11w
Energy rating (class)	B
Lumens (light output)	250 lm
Lifetime (hours)	8000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	<2.5 mg
Switching cycles (before failure)	10000
Warm up time (to 60% brightness)	<2 sec.
Dimmable	No
Bulb dimensions (height x width)	77 x 50 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

11 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / GU10
Wattage (power consumption)	7w
Energy rating (class)	B
Lumens (light output)	135 lm
Lifetime (hours)	8000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	<2.5 mg
Switching cycles (before failure)	>4000
Warm up time (to 60% brightness)	<120 sec.
Dimmable	No
Bulb dimensions (height x width)	58 x 50 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

7 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Halogen / G9
Wattage (power consumption)	20w
Energy rating (class)	C
Lumens (light output)	235 lm
Lifetime (hours)	1000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	4000
Warm up time (to 60% brightness)	0.01 sec.
Dimmable	Yes
Bulb dimensions (height x width)	13 x 43 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

20 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Halogen / G9
Wattage (power consumption)	25w
Energy rating (class)	E
Lumens (light output)	220 lm
Lifetime (hours)	1000 hrs
Kelvin (colour temperature)	2600 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	>1000000
Warm up time (to 60% brightness)	<1 sec.
Dimmable	Yes
Bulb dimensions (height x width)	13 x 43 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

25 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Halogen / G9
Wattage (power consumption)	28w
Energy rating (class)	C
Lumens (light output)	380 lm
Lifetime (hours)	1000 hrs
Kelvin (colour temperature)	2800 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	4000
Warm up time (to 60% brightness)	0.01 sec.
Dimmable	Yes
Bulb dimensions (height x width)	13 x 43 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

28 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Halogen / G9
Wattage (power consumption)	33w
Energy rating (class)	C
Lumens (light output)	460 lm
Lifetime (hours)	1000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	1000000
Warm up time (to 60% brightness)	<1 sec.
Dimmable	Yes
Bulb dimensions (height x width)	14 x 43 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

33 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Halogen / G9
Wattage (power consumption)	33w
Energy rating (class)	D
Lumens (light output)	460 lm
Lifetime (hours)	1000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	1000000
Warm up time (to 60% brightness)	<1 sec.
Dimmable	Yes
Bulb dimensions (height x width)	14 x 43 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

33 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Halogen / G9
Wattage (power consumption)	40w
Energy rating (class)	E
Lumens (light output)	420 lm
Lifetime (hours)	1000 hrs
Kelvin (colour temperature)	2600 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	>1000000
Warm up time (to 60% brightness)	<1 sec.
Dimmable	Yes
Bulb dimensions (height x width)	13 x 43 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

40 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Halogen / R7s
Wattage (power consumption)	80w
Energy rating (class)	C
Lumens (light output)	1500 lm
Lifetime (hours)	2000 hrs
Kelvin (colour temperature)	2600 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	>1000000
Warm up time (to 60% brightness)	<1 sec.
Dimmable	Yes
Bulb dimensions (height x width)	12 x 74.9 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

80 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Halogen / R7s
Wattage (power consumption)	120w
Energy rating (class)	C
Lumens (light output)	2450 lm
Lifetime (hours)	2000 hrs
Kelvin (colour temperature)	3000 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	>1000000
Warm up time (to 60% brightness)	<1 sec.
Dimmable	Yes
Bulb dimensions (height x width)	12 x 74.9 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

120 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Halogen / R7s
Wattage (power consumption)	60w
Energy rating (class)	C
Lumens (light output)	980 lm
Lifetime (hours)	2000 hrs
Kelvin (colour temperature)	2800 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	>8000
Warm up time (to 60% brightness)	<0.2 sec.
Dimmable	Yes
Bulb dimensions (height x width)	12 x 78.3 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

60 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / T8
Wattage (power consumption)	15w
Energy rating (class)	B
Lumens (light output)	945 lm
Lifetime (hours)	15000 hrs
Kelvin (colour temperature)	4000 K
Mercury (Hg) content	≤3.5 mg
Switching cycles (before failure)	10000
Warm up time (to 60% brightness)	≤ 2 sec
Dimmable	No
Bulb dimensions (height x width)	26 x 451.6 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

15 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / T5
Wattage (power consumption)	8w
Energy rating (class)	A
Lumens (light output)	440 lm
Lifetime (hours)	12000 hrs
Kelvin (colour temperature)	4000 K
Mercury (Hg) content	<3 mg
Switching cycles (before failure)	5000
Warm up time (to 60% brightness)	2 sec.
Dimmable	No
Bulb dimensions (height x width)	16 x 302.5 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

8 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / T5
Wattage (power consumption)	8w
Energy rating (class)	A
Lumens (light output)	440 lm
Lifetime (hours)	12000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	<3 mg
Switching cycles (before failure)	5000
Warm up time (to 60% brightness)	2 sec.
Dimmable	No
Bulb dimensions (height x width)	16 x 302.5 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

8 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / T5
Wattage (power consumption)	13w
Energy rating (class)	A
Lumens (light output)	980 lm
Lifetime (hours)	12000 hrs
Kelvin (colour temperature)	4000 K
Mercury (Hg) content	<3 mg
Switching cycles (before failure)	5000
Warm up time (to 60% brightness)	2 sec.
Dimmable	No
Bulb dimensions (height x width)	15.5 x 532 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG ^{Y IJA}
_{IE IA}
енергия · ενεργεια

A++
A+
A
B
C
D
E

➤

A

13 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / T5
Wattage (power consumption)	14w
Energy rating (class)	A
Lumens (light output)	1140 lm
Lifetime (hours)	12000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	<3 mg
Switching cycles (before failure)	5000
Warm up time (to 60% brightness)	2 sec.
Dimmable	No
Bulb dimensions (height x width)	16 x 563.2 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG ^{Y IJA}
_{IE IA}
енергия · ενεργεια

A++
A+
A
B
C
D
E

➤

A

14 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / T5
Wattage (power consumption)	14w
Energy rating (class)	A
Lumens (light output)	1140 lm
Lifetime (hours)	12000 hrs
Kelvin (colour temperature)	4000 K
Mercury (Hg) content	<3 mg
Switching cycles (before failure)	5000
Warm up time (to 60% brightness)	2 sec.
Dimmable	No
Bulb dimensions (height x width)	16 x 563.2 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG ^{Y IJA}
_{IE IA}
енергия · ενεργεια

A++
A+
A
B
C
D
E

➤

A

14 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / T5
Wattage (power consumption)	21w
Energy rating (class)	A
Lumens (light output)	1850 lm
Lifetime (hours)	12000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	<3 mg
Switching cycles (before failure)	8000
Warm up time (to 60% brightness)	2 sec.
Dimmable	No
Bulb dimensions (height x width)	15.5 x 860 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG ^{Y IJA}
_{IE IA}
енергия · ενεργεια

A++
A+
A
B
C
D
E

➤

A

21 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / T5
Wattage (power consumption)	22w
Energy rating (class)	A
Lumens (light output)	1800 lm
Lifetime (hours)	12000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	---
Switching cycles (before failure)	---
Warm up time (to 60% brightness)	---
Dimmable	No
Bulb dimensions (height x width)	16 x 230 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG ^{Y IJA}
_{IE IA}
енергия · ενεργεια

A++
A+
A
B
C
D
E

➤

A

22 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / T5
Wattage (power consumption)	24w
Energy rating (class)	A
Lumens (light output)	1635 lm
Lifetime (hours)	12000 hrs
Kelvin (colour temperature)	4000 K
Mercury (Hg) content	<3 mg
Switching cycles (before failure)	8000
Warm up time (to 60% brightness)	2 sec.
Dimmable	No
Bulb dimensions (height x width)	16 x 560 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG ^{Y IJA}
_{IE IA}
енергия · ενεργεια

A++
A+
A
B
C
D
E

➤

A

24 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / T5
Wattage (power consumption)	28w
Energy rating (class)	C
Lumens (light output)	2470 lm
Lifetime (hours)	12000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	<5 mg
Switching cycles (before failure)	10000
Warm up time (to 60% brightness)	2 sec.
Dimmable	No
Bulb dimensions (height x width)	16 x 1149 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG ^{Y IJA}
_{IE IA}
енергия · ενεργεια

A++
A+
A
B
C
D
E

➤

C

28 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / T5
Wattage (power consumption)	39w
Energy rating (class)	C
Lumens (light output)	2925 lm
Lifetime (hours)	12000 hrs
Kelvin (colour temperature)	4000 K
Mercury (Hg) content	<5 mg
Switching cycles (before failure)	10000
Warm up time (to 60% brightness)	2 sec.
Dimmable	No
Bulb dimensions (height x width)	16 x 849 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG ^{Y IJA}
_{IE IA}
енергия · ενεργεια

A++
A+
A
B
C
D
E

➤

C

39 kWh/1000h

LAMP INFORMATION	
Bulb type / base	Fluorescent / T5
Wattage (power consumption)	54w
Energy rating (class)	C
Lumens (light output)	4400 lm
Lifetime (hours)	12000 hrs
Kelvin (colour temperature)	4000 K
Mercury (Hg) content	<5 mg
Switching cycles (before failure)	10000
Warm up time (to 60% brightness)	2 sec.
Dimmable	No
Bulb dimensions (height x width)	16 x 1149 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

54 kWh/1000h

C

LAMP INFORMATION	
Bulb type / base	Fluorescent / GX53
Wattage (power consumption)	8w
Energy rating (class)	A
Lumens (light output)	280 lm
Lifetime (hours)	6000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	<5 mg
Switching cycles (before failure)	1000
Warm up time (to 60% brightness)	60 sec.
Dimmable	No
Bulb dimensions (height x width)	---
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

8 kWh/1000h

B

LAMP INFORMATION	
Bulb type / base	Fluorescent / 2D
Wattage (power consumption)	28w
Energy rating (class)	A
Lumens (light output)	1080 lm
Lifetime (hours)	8000 hrs
Kelvin (colour temperature)	3500 K
Mercury (Hg) content	<5 mg
Switching cycles (before failure)	8000 - 10000
Warm up time (to 60% brightness)	< 3 min.
Dimmable	No
Bulb dimensions (height x width)	107 x 350 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

28 kWh/1000h

A

LAMP INFORMATION	
Bulb type / base	Halogen / G4
Wattage (power consumption)	10w
Energy rating (class)	C
Lumens (light output)	130 lm
Lifetime (hours)	2000 hrs
Kelvin (colour temperature)	2800 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	50,000
Warm up time (to 60% brightness)	<1 sec.
Dimmable	Yes
Bulb dimensions (height x width)	10 x 33 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

11 kWh/1000h

C

LAMP INFORMATION	
Bulb type / base	Halogen / G4
Wattage (power consumption)	20w
Energy rating (class)	C
Lumens (light output)	320 lm
Lifetime (hours)	2000 hrs
Kelvin (colour temperature)	2800 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	50,000
Warm up time (to 60% brightness)	<1 sec.
Dimmable	Yes
Bulb dimensions (height x width)	10 x 33 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

22 kWh/1000h

C

LAMP INFORMATION	
Bulb type / base	LED / GU10
Wattage (power consumption)	6w
Energy rating (class)	A+
Lumens (light output)	410 lm
Lifetime (hours)	50000 hrs
Kelvin (colour temperature)	2800 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	1000000
Warm up time (to 60% brightness)	<1 sec.
Dimmable	Yes
Bulb dimensions (height x width)	58 x 50 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

6 kWh/1000h

A+

LAMP INFORMATION	
Bulb type / base	LED / GU10
Wattage (power consumption)	6w
Energy rating (class)	A+
Lumens (light output)	300 lm
Lifetime (hours)	40000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	1000000
Warm up time (to 60% brightness)	<0.5 sec.
Dimmable	Yes
Bulb dimensions (height x width)	55 x 50 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D

E

6 kWh/1000h

A

LAMP INFORMATION	
Bulb type / base	LED / GU5.3
Wattage (power consumption)	7w
Energy rating (class)	A
Lumens (light output)	380 lm
Lifetime (hours)	40000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	50000
Warm up time (to 60% brightness)	<0.5 sec.
Dimmable	Yes
Bulb dimensions (height x width)	54 x 50 mm
Website for safe disposal: www.recycle-more.co.uk	

ENERG Y IJA
IE IA
енергия · ενεργεια

A++

A+

A

B

C

D


E

7 kWh/1000h

A

LAMP INFORMATION

Bulb type / base	LED / GU10
Wattage (power consumption)	6w
Energy rating (class)	A+
Lumens (light output)	300 lm
Lifetime (hours)	40000 hrs
Kelvin (colour temperature)	2700 K
Mercury (Hg) content	0.00 mg
Switching cycles (before failure)	1000000
Warm up time (to 60% brightness)	<0.5 sec.
Dimmable	Yes
Bulb dimensions (height x width)	55 x 50 mm
Website for safe disposal: www.recycle-more.co.uk	

 **ENERG** Y IJA
IE IA
енергия · ενεργεια

A++
A+
A
B
C
D
E

A+

6 kWh/1000h