

# Genesis

## Genesis 4.4W LED Dimmable GU10 - 4000K

### Part Code: 60675

The Genesis GU10 is our newest addition to the GU10 range. This 4.4W GU10 is available as Non-Dimmable and Dimmable in 3 colour temperatures. The Genesis GU10 offers sleek aesthetics and is destined to be one of our best all-purpose GU10's, suitable for multiple applications.

- Energy saving benefits of LED
- Rimless lens for improved aesthetics
- True fit GU10 size
- Suitable for fire rated and IP rated fixtures
- Compatible with most branded Trailing Edge Dimmers, including the BELL Smart Universal LED Trailing/Leading Edge Dimmer Module Code: 10803



**2 Year**  
Guarantee



**15,000**  
Life Hours



**80**  
Colour Rendering Index



**220/240**  
Volts

# Genesis



<b>Product Category</b>	Lamps / LED
<b>Application</b>	Genesis Lamps
<b>Product Warranty</b>	2 Years
<b>EAN</b>	5013588606750
<b>Commodity Code</b>	8539520000
<b>Country of Origin</b>	CN

## Technical Specification

Wattage (W)	4.4
Equivalent Wattage (W)	50
Volts (V)	220/240
Colour Temperature (K)	4000
Lumen Output (lm)	350
Lumens per Watt (lm/W)	80
Candelas	630
CRI (ra)	85
Frequency (Hz)	50/60
LED Drive Current	13mA
Energy Consumption (kWh/1000h)	5
Life Hours	15000
Switching Cycles	7500
Energy Rating	F
Lumen Maintenance Ratio	80

## Packaging Information

Minimum Order Quantity	1
Height (mm)	54
Width (mm)	50
Depth (mm)	50
Diameter (mm)	50
Individual Product Weight (kg)	0.043
Single Box Weight (kg)	0.052
Single Box Height (mm)	62
Single Box Width (mm)	51
Single Box Depth (mm)	51
Single Box Volume	0.00016
Inner Box Qty	10
Inner Box Barcode	6067500000010
Inner Box Weight (kg)	0.58466
Inner Box Height (mm)	77
Inner Box Width (mm)	112
Inner Box Depth (mm)	270
Inner Box Volume	0.00233
Outer Box Qty	50
Outer Box Barcode	6067500000050
Outer Box Weight (kg)	3.17711
Outer Box Height (mm)	95
Outer Box Width (mm)	278
Outer Box Depth (mm)	585
Outer Box Volume	0.01545
UNSPSC Code	39101628

# genesis

## Additional Information

Beam Angle	38°
Power Factor	0.8
Cap	GU10